

# H5350T 规格书(Line-up)

基板 CCL: H5350T

1、 Only E-Glass Type CCL: H5350T

Core Thickness		Standard Construction	RC(%)	Dk				Df			
mil	mm			1GHz	5GHz	10GHz	15GHz	1GHz	5GHz	10GHz	15GHz
10.0	0.25	1080X3	80	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0023	0.0025
20.0	0.50	1080X5	80	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0023	0.0025
30.0	0.76	1080X7	82	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0023	0.0025
60.0	1.52	1080X15	80	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0023	0.0025

Copper foil	Pnl size	
thickness	Warp	Fill
1/2oz	48"	54"
1oz	36"	48"
2oz	18"	24"
3oz		

Remark: 1. The above data is for your reference only.

2.Please contact WAZAM sale and TS team if need more Laminates type.